







UNIPRISE[®] Copper and Fiber Quick Reference Guide


CATEGORY 6 COPPER CABLE

	Catalog Number	Packaging	Color
	6504	1000 ft. reel	White
	6504	1000 ft. reel	Blue
	6504	1000 ft. reel	Gray
	65N4	1000 ft. reel	White
	65N4	1000 ft. reel	Blue
	65N4	1000 ft. reel	Gray
	6ECMP	1000 ft. reel	White
	6ECMP	1000 ft. reel	Blue
	6ECMP	1000 ft. reel	Gray
	6ECMP	1000 ft. reel	Yellow
	6ECMP	1000 ft. reel	Pink
	6ECMP	1000 ft. reel	Teal
	6ECMR	1000 ft. reel	White
	6ECMR	1000 ft. reel	Blue
	6ECMR	1000 ft. reel	Gray
	6ECMR	1000 ft. reel	Yellow
	6ECMR	1000 ft. reel	Pink
	6ECMR	1000 ft. reel	Teal
	7504	1000 ft. reel	White
	7504	1000 ft. reel	Blue
	7504	1000 ft. reel	Gray
	7504	1000 ft. reel	Yellow
	7504	1000 ft. reel	Pink
	7504	1000 ft. reel	Teal
	75N4	1000 ft. reel	White
	75N4	1000 ft. reel	Blue
	75N4	1000 ft. reel	Gray
	75N4	1000 ft. reel	Yellow
	75N4	1000 ft. reel	Pink
	75N4	1000 ft. reel	Teal


CATEGORY 6 INFORMATION OUTLETS

	Catalog Number	Color
	UNJ600-BL	Blue
	UNJ600-BK	Black
	UNJ600-IV	Ivory
	UNJ600-VL	Violet
	UNJ600-CM	Cream
	UNJ600-RD	Red
	UNJ600-WH	White
	UNJ600-GY	Gray
	UNJ600-YL	Yellow
	UNJ600-OR	Orange
	UNJ600-GR	Green



CATEGORY 6 PATCH CORDS

	Catalog Number	Description
	UNC6-XX-YF	Cat 6 Patch Cord With Integrated Boot
	<small>XX = Color: BL = Blue WH = White GY = Gray YL = Yellow GN = Green VL = Violet BK=Black RD=Red OR=Orange Y = Length: 1F=1 ft 3F=3 ft 5F=5 ft 7F=7 ft 10F=10 ft 12F=12 ft 15F=15 ft 20F=20 ft 25F=25 ft 50F=50 ft * Product available in numerous colors. Contact your local CommScope Representative for more information.</small>	


CATEGORY 6 PATCH CORDS

	Catalog Number	Description
	UNP610-18P	Cat 6 Patch Panel 18 Port
	UNP610-24P	Cat 6 Patch Panel 24 Port
	UNP610-48P	Cat 6 Patch Panel 48 Port
	UNP610-WM-12P	Cat 6 Panel (Wall Mountable) 12 Port
	UNP610-ANG-24P	Cat 6 Angled Patch Panel 24 Port
	UNP610-ANG-48P	Cat 6 Angled Patch Panel 48 Port
	UN-PCO-C1	2U Patch Cord Manager, Hor./Vert.
	UN-PCO-C2	2U D Ring Cable Manager, Horizontal
	UN-PCO-C3	1U D Ring Cable Manager, Horizontal


CATEGORY 5e COPPER CABLE

	Catalog Number	Packaging	Color
	5EN5	1000 ft. reel	White
	5EN5	1000 ft. reel	Blue
	5EN5	1000 ft. reel	Gray
	5EN5	1000 ft. reel	Yellow
	5EN5	1000 ft. reel	Pink
	5EN5	1000 ft. reel	White
	5EN5	1000 ft. reel	Blue
	5EN5	1000 ft. reel	Gray
	5EN5	1000 ft. reel	Yellow
	5EN5	1000 ft. reel	Pink


CATEGORY 5e INFORMATION OUTLETS

	Catalog Number	Color
	UNJ500-BL	Blue
	UNJ500-BK	Black
	UNJ500-IV	Ivory
	UNJ500-VL	Violet
	UNJ500-CM	Cream
	UNJ500-RD	Red
	UNJ500-WH	White
	UNJ500-GY	Gray
	UNJ500-YL	Yellow
	UNJ500-OR	Orange
	UNJ500-GR	Green


CATEGORY 5e PATCH CORDS

	Catalog Number	Description
	UNC5-XX-YF	Cat 5e Patch Cord With Integrated Boot
	<small>XX = Color: BL = Blue WH = White GY = Gray YL = Yellow GN = Green VL = Violet BK = Black RD = Red OR = Orange Y = Length: 1F=1 ft 3F=3 ft 5F=5 ft 7F=7 ft 10F=10 ft 12F=12 ft 15F=15 ft 20F=20 ft 25F=25 ft 50F=50 ft * Product available in numerous colors. Contact your local CommScope Representative for more information.</small>	

CATEGORY 5e PANELS

	Catalog Number	Packaging
	UNP510-18P	Cat 5e Patch Panel 18 Port
	UNP510-24P	Cat 5e Patch Panel 24 Port
	UNP510-48P	Cat 5e Patch Panel 48 Port
	UNP510-WM-12P	Cat 5e Panel (Wall Mountable) 12 Port
	UNP510-ANG-24P	Cat 5e Angled Patch Panel 24 Port
	UNP510-ANG-48P	Cat 5e Angled Patch Panel 48 Port




MODULAR PATCH PANEL

	Catalog Number	Description
	UNP-MOD-24P	24 Port Modular Patch Panel
	UNP-MOD-48P	48 Port Modular Patch Panel

FACEPLATES


	Catalog Number	Description
	UNF-MFM-1P-ST	1 Port Stainless Steel Faceplate
	UNF-MFM-2P-ST	2 Port Stainless Steel Faceplate
	UNF-MFM-3P-ST	3 Port Stainless Steel Faceplate
	UNF-MFM-4P-ST	4 Port Stainless Steel Faceplate
	UNF-MFM-6P-ST	6 Port Stainless Steel Faceplate
	UNF-MFMM-3P-IV	3 Port Multimedia Faceplate, Ivory
	UNF-MFMM-3P-WH	3 Port Multimedia Faceplate, White
	UNF-MFMM-3P-GY	3 Port Multimedia Faceplate, Gray
	UNF-MFMM-3P-BK	3 Port Multimedia Faceplate, Black
	UNF-MFMM-3P-CR	3 Port Multimedia Faceplate, Cream
	UNF-MD-1P-XX	1 Port Modular Faceplate
	UNF-MFM-2P-XX	2 Port Modular Faceplate
	XX = Color: BK = Black WH = White IV = Ivory GY = Gray	
	UNF-WL-1P-WH	1 Port Modular Outlet Wall Faceplate, White
	UNF-WL-1P-IV	1 Port Modular Outlet Wall Faceplate, Ivory
	UNF-MFM-2P-XX	2 Port Modular Flush-Mount Faceplate
	UNF-MFM-3P-XX	3 Port Modular Flush-Mount Faceplate
	UNF-MFM-4P-XX	4 Port Modular Flush-Mount Faceplate
	UNF-MFM-6P-XX	6 Port Modular Flush-Mount Faceplate
	UNF-MFM-DG8P-XX	8 Port Modular Flush-Mount Faceplate*
	XX = Color: BK = Black WH = White IV = Ivory GY = Gray *Double Gang	
	UNF-MF-3P-BK	3 Port Modular Furniture Faceplate, Black
	UNF-MF-3P-IV	3 Port Modular Furniture Faceplate, Ivory
	UNF-MF-3P-WH	3 Port Modular Furniture Faceplate, White
	UNF-MF-3P-GY	3 Port Modular Furniture Faceplate, Gray
	UNF-MF-3P-BK	4 Port Modular Furniture Faceplate, Black
	UNF-MF-4P-BK	4 Port Modular Furniture Faceplate, Ivory
	UNF-MF-4P-WH	4 Port Modular Furniture Faceplate, White
	UNF-MF-4P-GY	4 Port Modular Furniture Faceplate, Gray
	UNF-MF-4P-BK	4 Port Variable Furniture Faceplate, Black

FOILED TWISTED PAIR (FTP) MODULAR PATCH PANEL


Catalog Number	Description		
	UNF-VF-IV	4 Port Variable Furniture Faceplate, Ivory	
	UNF-VF-WH	4 Port Variable Furniture Faceplate, White	
	UNF-VF-GY	4 Port Variable Furniture Faceplate, Gray	
	UNF-D-1P-XX	1 Port Designer Faceplate	
	UNF-D-2P-XX	2 Port Designer Faceplate	
	UNF-D-3P-XX	3 Port Designer Faceplate	
	UNF-D-4P-XX	4 Port Designer Faceplate	
	UNF-D-6P-XX	6 Port Designer Faceplate	
		XX = Color: BK = Black CM = Cream WH = White IV = Ivory GY = Gray	
	UNF-FX-SG-XX	Flexible Single Gang faceplate	
	UNF-FX-DG-XX	Flexible Double Gang faceplate	
	UNF-FX-BLA-XX	Flexible Adapter Blank	
	UNF-FX-SOA-XX	Flexible Adapter Single Outlet	
	UNF-FX-DOA-XX	Flexible Adapter Double Outlet	
		XX = Color: BK = Black WH = White IV = Ivory GY = Gray	

* Product available in numerous colors. Contact your local CommScope Representative for more information.



FOILED TWISTED PAIR (FTP) MODULAR PATCH PANEL

	Catalog Number	Description
	FTP-PNL-24P	Foiled Twisted Pair Patch Panel, 24-port



FOILED TWISTED PAIR (FTP) INFORMATION OUTLETS

	Catalog Number	Description	Color
	FTP-J5E	Cat 5e Foiled Twisted Pair Information Outlet	Silver
	FTP-J6	Cat 6 Foiled Twisted Pair Information Outlet	Silver


FOILED TWISTED PAIR (FTP) MODULAR PATCH CORDS

	Catalog Number	Color
Category 6 	FTP-PC6-GY3	Gray
	FTP-PC6-GY5	Gray
	FTP-PC6-GY7	Gray
	FTP-PC6-GY9	Gray
	FTP-PC6-GY15	Gray
	FTP-PC6-GY25	Gray
Category 5e 	FTP-PC5E-GY3	Gray
	FTP-PC5E-GY5	Gray
	FTP-PC5E-GY7	Gray
	FTP-PC5E-GY9	Gray
	FTP-PC5E-GY15	Gray
	FTP-PC5E-GY25	Gray

FOILED TWISTED PAIR (FTP) MODULAR PATCH CORDS


	Catalog Number	Color
Category 6 FTP-Plenum & Non Plenum 	65S4+ (Plenum)	White
	65NS4+ (Non-Plenum)	Gray
Category 5e FTP-Plenum & Non Plenum 	5ES4 (Plenum)	White
	5ENS4 (Non Plenum)	Gray

FIBER CABLE - PREMISES DISTRIBUTION




	Catalog Number	Description
	R-006-DS-6F-FSUOR	Riser rated, 6 fiber, 62.5/125µm multimode
	R-012-DS-6F-FSUOR	Riser rated, 12 fiber, 62.5/125µm multimode
	R-024-DS-6F-FSUOR	Riser rated, 24 fiber, 62.5/125µm multimode
	R-012-DS-8W-FSUYL	Riser rated, 12 fiber, 8.3/125µm single-mode
	P-006-DS-6F-FSUOR	Plenum rated, 6 fiber, 62.5/125µm multimode
	P-012-DS-6F-FSUOR	Plenum rated, 12 fiber, 62.5/125µm multimode
	P-024-DS-6F-FSUOR	Plenum rated, 24 fiber, 62.5/125µm multimode
	P-006-DS-8W-FSUYL	Plenum rated, 6 fiber, 8.3/125µm single-mode
	P-012-DS-8W-FSUYL	Plenum rated, 12 fiber, 8.3/125µm single-mode
	P-024-DS-8W-FSUYL	Plenum rated, 24 fiber, 8.3/125µm single-mode
	P-006-DS-5M-FSUAQ	Plenum rated, 6 fiber, LaserCore 150 50µm multimode
	P-012-DS-5M-FSUAQ	Plenum rated, 12 fiber, LaserCore 150 50µm multimode
	P-006-DS-5L-FSUAQ	Plenum rated, 6 fiber, LaserCore 300 50µm multimode
	P-012-DS-5L-FSUAQ	Plenum rated, 12 fiber, LaserCore 300 50µm multimode
	P-012-DZ-8W-FSUYL	Plenum, Armored 12 fiber, 8.3/125µm single-mode
	P-006-DZ-6F-FSUOR	Plenum, Armored 6 fiber, 62.5/125µm multimode
	P-012-DZ-6F-FSUOR	Plenum, Armored 12 fiber, 62.5/125µm multimode
	P-012-DZ-5L-FSUOR	Plenum, Armored 12 fiber, LaserCore 300 50µm multimode

FIBER CABLE - INDOOR/OUTDOOR SINGLE UNIT RISER DISTRIBUTION




	Catalog Number	Description
	Z-002-DS-5L-FSUBK	Riser rated, 2 fiber, LaserCore 300 50µm multimode
	Z-004-DS-5L-FSUBK	Riser rated, 4 fiber, LaserCore 300 50µm multimode
	Z-006-DS-5L-FSUBK	Riser rated, 6 fiber, LaserCore 300 50µm multimode
	Z-008-DS-5L-FSUBK	Riser rated, 8 fiber, LaserCore 300 50µm multimode
	Z-012-DS-5L-FSUBK	Riser rated, 12 fiber, LaserCore 300 50µm multimode
	Z-018-DS-5L-FSUBK	Riser rated, 18 fiber, LaserCore 300 50µm multimode
	Z-024-DS-5L-FSUBK	Riser rated, 24 fiber, LaserCore 300 50µm multimode
	Z-002-DS-5M-FSUBK	Riser rated, 2 fiber, LaserCore 150 50µm multimode
	Z-004-DS-5M-FSUBK	Riser rated, 4 fiber, LaserCore 150 50µm multimode
	Z-006-DS-5M-FSUBK	Riser rated, 6 fiber, LaserCore 150 50µm multimode
	Z-008-DS-5M-FSUBK	Riser rated, 8 fiber, LaserCore 150 50µm multimode
	Z-012-DS-5M-FSUBK	Riser rated, 12 fiber, LaserCore 150 50µm multimode
	Z-018-DS-5M-FSUBK	Riser rated, 18 fiber, LaserCore 150 50µm multimode
	Z-024-DS-5M-FSUBK	Riser rated, 24 fiber, LaserCore 150 50µm multimode
	Z-002-DS-6F-FSUBK	Riser rated, 2 fiber, 62.5/125µm multimode
	Z-004-DS-6F-FSUBK	Riser rated, 4 fiber, 62.5/125µm multimode
	Z-006-DS-6F-FSUBK	Riser rated, 6 fiber, 62.5/125µm multimode
	Z-008-DS-6F-FSUBK	Riser rated, 8 fiber, 62.5/125µm multimode
	Z-012-DS-6F-FSUBK	Riser rated, 12 fiber, 62.5/125µm multimode
	Z-018-DS-6F-FSUBK	Riser rated, 18 fiber, 62.5/125µm multimode
	Z-024-DS-6F-FSUBK	Riser rated, 24 fiber, 62.5/125µm multimode
	Z-002-DS-6F-FSUBK	Riser rated, 2 fiber, 8.3/125µm single-mode
	Z-004-DS-8W-FSUBK	Riser rated, 4 fiber, 8.3/125µm single-mode
	Z-006-DS-8W-FSUBK	Riser rated, 6 fiber, 8.3/125µm single-mode
	Z-008-DS-8W-FSUBK	Riser rated, 8 fiber, 8.3/125µm single-mode
	Z-012-DS-8W-FSUBK	Riser rated, 12 fiber, 8.3/125µm single-mode
	Z-018-DS-8W-FSUBK	Riser rated, 18 fiber, 8.3/125µm single-mode
	Z-024-DS-8W-FSUBK	Riser rated, 24 fiber, 8.3/125µm single-mode

FIBER CABLE - ALL DRY OUTSIDE PLANT STRANDED LOOSE TUBE NON-ARMORED ALL DIELECTRIC




	Catalog Number	Description
	D-012-LN-5L-F12NS	Outside Plant, 12 fiber, LaserCore 300 50µm multimode
	D-024-LN-5L-F12NS	Outside Plant, 24 fiber, LaserCore 300 50µm multimode
	D-036-LN-5L-F12NS	Outside Plant, 36 fiber, LaserCore 300 50µm multimode
	D-048-LN-5L-F12NS	Outside Plant, 48 fiber, LaserCore 300 50µm multimode
	D-060-LN-5L-F12NS	Outside Plant, 60 fiber, LaserCore 300 50µm multimode
	D-072-LN-5L-FZZNS	Outside Plant, 72 fiber, LaserCore 300 50µm multimode
	D-096-LN-5L-FZZNS	Outside Plant, 96 fiber, LaserCore 300 50µm multimode
	D-120-LN-5L-FZZNS	Outside Plant, 120 fiber, LaserCore 300 50µm multimode
	D-144-LN-5L-FZZNS	Outside Plant, 144 fiber, LaserCore 300 50µm multimode
	D-216-LN-5L-FZZNS	Outside Plant, 216 fiber, LaserCore 300 50µm multimode
	D-288-LN-5L-FZZNS	Outside Plant, 288 fiber, LaserCore 300 50µm multimode
	D-012-LN-5M-FZZNS	Outside Plant, 12 fiber, LaserCore 150 50µm multimode
	D-024-LN-5M-FZZNS	Outside Plant, 24 fiber, LaserCore 150 50µm multimode
	D-036-LN-5M-FZZNS	Outside Plant, 36 fiber, LaserCore 150 50µm multimode
	D-048-LN-5M-FZZNS	Outside Plant, 48 fiber, LaserCore 150 50µm multimode
	D-060-LN-5M-FZZNS	Outside Plant, 60 fiber, LaserCore 150 50µm multimode
	D-072-LN-5M-FZZNS	Outside Plant, 72 fiber, LaserCore 150 50µm multimode
	D-096-LN-5M-FZZNS	Outside Plant, 96 fiber, LaserCore 150 50µm multimode
	D-120-LN-5M-FZZNS	Outside Plant, 120 fiber, LaserCore 150 50µm multimode
	D-144-LN-5M-FZZNS	Outside Plant, 144 fiber, LaserCore 150 50µm multimode
	D-216-LN-5M-FZZNS	Outside Plant, 216 fiber, LaserCore 150 50µm multimode
	D-288-LN-5M-FZZNS	Outside Plant, 288 fiber, LaserCore 150 50µm multimode
	D-012-LN-6F-FZZNS	Outside Plant, 12 fiber, 62.5/125µm multimode
	D-024-LN-6F-FZZNS	Outside Plant, 24 fiber, 62.5/125µm multimode
	D-036-LN-6F-FZZNS	Outside Plant, 36 fiber, 62.5/125µm multimode
	D-048-LN-6F-FZZNS	Outside Plant, 48 fiber, 62.5/125µm multimode
	D-060-LN-6F-FZZNS	Outside Plant, 60 fiber, 62.5/125µm multimode
	D-072-LN-6F-FZZNS	Outside Plant, 72 fiber, 62.5/125µm multimode
	D-096-LN-6F-FZZNS	Outside Plant, 96 fiber, 62.5/125µm multimode
	D-120-LN-6F-FZZNS	Outside Plant, 120 fiber, 62.5/125µm multimode
	D-144-LN-6F-FZZNS	Outside Plant, 144 fiber, 62.5/125µm multimode
	D-216-LN-6F-FZZNS	Outside Plant, 216 fiber, 62.5/125µm multimode
	D-288-LN-6F-FZZNS	Outside Plant, 288 fiber, 62.5/125µm multimode
	D-012-LN-8W-FZZNS	Outside Plant, 12 fiber, 8.3/125µm single-mode
	D-024-LN-8W-FZZNS	Outside Plant, 24 fiber, 8.3/125µm single-mode
	D-036-LN-8W-FZZNS	Outside Plant, 36 fiber, 8.3/125µm single-mode
	D-048-LN-8W-FZZNS	Outside Plant, 48 fiber, 8.3/125µm single-mode
	D-060-LN-8W-FZZNS	Outside Plant, 60 fiber, 8.3/125µm single-mode
	D-072-LN-8W-FZZNS	Outside Plant, 72 fiber, 8.3/125µm single-mode
	D-096-LN-8W-FZZNS	Outside Plant, 96 fiber, 8.3/125µm single-mode
	D-120-LN-8W-FZZNS	Outside Plant, 120 fiber, 8.3/125µm single-mode
	D-144-LN-8W-FZZNS	Outside Plant, 144 fiber, 8.3/125µm single-mode
	D-216-LN-8W-FZZNS	Outside Plant, 216 fiber, 8.3/125µm single-mode
	D-288-LN-8W-FZZNS	Outside Plant, 288 fiber, 8.3/125µm single-mode

FACEPLATE ADAPTERS

	Catalog Number	Description
	UNFA-LC02-AQ	Faceplate Adapter, duplex LC adapter with fiber spool for LaserCore 50µm MM
	UNFA-LC02-BG	Faceplate Adapter, duplex LC adapter with fiber spool for FDDI grade 62.5µm MM
	UNFA-LC02-BL	Faceplate Adapter, duplex LC adapter with fiber spool for LightScope ZWP single-mode
	UNFA-LC02-BG-CL	Faceplate Adapter, clear duplex LC adapter with a beige MM LC duplex adapter
	UNFA-LC02-AQ-CL	Faceplate Adapter, clear duplex LC adapter with an aqua MM LC duplex adapter
	UNFA-LC02-BL-CL	Faceplate Adapter, clear duplex LC adapter with blue SM LC duplex adapter
	UNFA-SC01-BL	Faceplate Adapter, simplex, blue SC adapter for SM & MM
	UNFA-SC01-BG	Faceplate Adapter, simplex, beige SC adapter MM
	UNFA-SC01-AQ	Faceplate Adapter, simplex, aqua SC adapter MM, 50µm
	UNFA-ST01	Faceplate Adapter, simplex ST adapter for MM

Connectorized Cable Assemblies also available.


FIBER ENCLOSURES RACK MOUNTED

	Catalog Number	Description
	RFE-SLG-EMT/1U	Rack Mount Sliding Combo Splice & Termination Shelf, 1.75"/1U
	RFE-FXG-EMT/1U	Rack Mount Fixed Combo Splice & Termination Shelf, 1.75"/1U
	RFE-SLG-EMT/2U	Rack Mount Sliding Combo Splice & Termination Shelf, 3.5"/2U
	RFE-FXG-EMT/2U	Rack Mount Fixed Combo Splice & Termination Shelf, 3.5"/2U

GANGED ADAPTERS FOR 1U AND 2U SHELVES


	Catalog Number	Description	Color
	AFA-LC12-GR	Angled LC simplex/duplex ganged adapter, snap-in, Green	Green
	SFA-LC12-BL	SM LC simplex/duplex ganged adapter, snap-in, Blue for SM	Blue
	MFA-LC12-AQ	MM LC simplex/duplex ganged adapter, snap-in, Aqua for 50µm	Aqua
	MFA-LC12-BG	MM LC simplex/duplex ganged adapter, snap-in, Beige for 62.5µm	Beige
	AFA-SC06-GR	Angled SC simplex/duplex ganged adapter, snap-in, Green	Green
	SFA-SC06-BL	SM SC simplex/duplex ganged adapter, snap-in, Blue for SM	Blue
	MFA-SC06-AQ	MM SC simplex/duplex ganged adapter, snap-in, Aqua for 50µm	Aqua
	MFA-SC06-BG	MM SC simplex/duplex ganged adapter, snap-in, Beige for 62.5µm	Beige
	SFA-ST06-BL	SM ST simplex/duplex ganged adapter, snap-in, Blue for SM	Blue
	MFA-ST06-AQ	MM ST simplex/duplex ganged adapter, snap-in, Aqua for 50µm	Aqua
	MFA-ST06-BG	MM ST simplex/duplex ganged adapter, snap-in, Beige for 62.5µm	Beige
	MFA-ST/SC06-BG	MM ST/SC (In/Out) simplex/duplex ganged adapter, snap-in, Beige for 62.5µm	Beige
	MFA-ST/SC06-AQ	MM ST/SC (In/Out) simplex/duplex ganged adapter, snap-in, Aqua for 50µm	Aqua
	SFA-ST/SC06-BL	SM ST/SC (In/Out) simplex/duplex ganged adapter, snap-in, Blue for SM	Blue
	MFA-SC/ST06-BG	MM SC/ST (In/Out) simplex/duplex ganged adapter, snap-in Beige for 62.5µm	Beige
	MFA-SC/ST06-AQ	MM SC/ST (In/Out) simplex/duplex ganged adapter, snap-in, Aqua for 50µm	Aqua
SFA-SC/ST06-BL	SM SC/ST (In/Out) simplex/duplex ganged adapter, snap-in, Blue for SM	Blue	

FIBER CONNECTORS

	Catalog Number	Packaging
	MDC-LCR-16	MM duplex LC pre radius connector for use on 1.6 mm cordage, single pack
	MFC-LCR-16	MM LC pre radius connector for use on 1.6 mm cordage, single pack
	MFC-LCR-09	MM LC pre radius connector for use on 900Egm buffered fiber, single pack
	MFC-SCU-29	MM SC connector for use on 2.9 mm cordage, single pack
	MFC-SCU-09	MM SC connector for use on 900Egm buffered fiber, single pack
	MFC-STU	MM ST for use on 900Egm buffer and 2.9 mm cordage, single pack
	SDC-LCR-16	SM duplex LC pre radius connector for use on 1.6 mm cordage, single pack
	SFC-LCR-16	SM LC pre radius connector for use on 1.6 mm cordage, single pack
	SFC-LCR-09	SM LC pre radius connector for use on 900Egm buffered fiber, single pack
	SFC-SCU-29	SM SC connector for use on 2.9 mm cordage, single pack
	SFC-SCU-09	SM SC connector for use on 900Egm buffered fiber, single pack
	SFC-STU	SM ST for use on 900Egm buffer and 2.9 mm cordage, single pack


Packs of 100 and bulk packs of 100 are also available.

FIBER UNIVERSAL POLISHING KITS

	Catalog Number	Description
	FOT-KIT-CON-ANA	Anaerobic Bonder, Solventless Primer, and Retaining Compound
	FOT-KIT-CON-M-UNIV-100	*MM STU/SCU/LCR Unified Polishing Consumable Kit
	FOT-KIT-CON-S-UNIV-100	*SM STU/SCU/LCR Unified Polishing Consumable Kit

*For Approximately 100 SCU/STU or 200 LCR Connectors

FIBER CLOSURES

	Catalog Number	Description
	OFE-CLS-B-048-SFS-LT	Closure, B, for Non-Central Tube Cables, up to 48 Single Fusion Splices and .4"/.85" Grommets
	OFE-CLS-B-048-SFS-CT	Closure, B, for Central Tube Cables, up to 48 Single Fusion Splices and .3"/.6" Grommets
	OFE-CLS-C-072-SFS	Closure, C, with Two 36 SFS Trays and One Dual Cable 0.4"/0.85" Grommet
	OFE-CLS-D-072-SFS-CT	Closure, D, for Central Tube Cables with Two 36 SFS Trays and 0.4" to 1.0" Grommets
	OFE-CLS-D-072-SFS-LT	Closure, D, for Non-Central Tube Cables, with Two SFS Trays and 0.4" to 1.0" Grommets
	OFE-CLS-J-012	Closure, J, with 2 drop ports, one 12 splice tray, can hold 4 trays total, MAX 48 splices with 12 tray, 96 splices with 24 tray
	OFE-CLS-K-024	Closure, K, with 3 drop ports, one 24 splice tray, can hold 6 trays total, MAX 144 splices with 24 tray, 288 splices with 48 tray
	OFE-CLS-L-024	Closure, L, with 5 drop ports, one 24 splice tray, can hold 8 trays total, MAX 192 splices with 24 tray, 384 splices with 48 tray



© 2008 CommScope, Inc. All rights reserved.

Visit our Web site at www.commscope.com or contact your local CommScope representative or BusinessPartner for more information. All trademarks identified by ® or ™ are registered trademarks or trademarks, respectively, of CommScope.

This document is for planning purposes only and is not intended to modify or supplement any specifications or warranties relating to Uniprise products or services.

06/08